



EMBRACE THE
ADVENTURE!

 **TYPO3 V13 LTS**

Ride the Wave

 **TYPO3**

THE ROAD TO *LTS*





Release Date	Version	Features
30 th January 2024	13.0 – The Ocean’s Calling	Breaking changes and new system requirements
23 rd April 2024	13.1 – The Surfer’s Starterkit	Reusable components for creating new sites
2 nd July 2024	13.2 – Ready. Set. Ride.	Content blocks and new APIs for integrations
17 th September 2024	13.3 – Prepare for the Fun	Feature Freeze

UP TO SEVEN YEARS OF MAINTENANCE AND SUPPORT

Free TYPO3 community support for three years:

- 1.5 years full regular maintenance
- 1.5 years priority bug fixing with security fixes and critical updates.

Paid Extended Long-Term Support (ELTS) for TYPO3 v13 LTS available until 31st October 2031.*

* 4th year of ELTS only available for TYPO3 Partners



538 DAYS
203 CONTRIBUTORS
3.383 COMMITS

31.366 FILES CHANGED
428.077 *LOC REMOVED
437.524 *LOC ADDED

System Requirements & Dependencies



PHP v8.2 and Symfony 7

- **PHP version 8.2** is the minimum requirement to run TYPO3 v13. This is just a small step from version 8.1, which TYPO3 v12 requires, and lets us leverage **Symfony version 7**, released in November 2023.
- PHP version 8.2 will receive security updates for the next two years **until December 2025**.

Database Engine

- Thanks to the database abstraction layer Doctrine, TYPO3 supports a range of database servers and engines. TYPO3 v13 will depend on Doctrine DBAL version 4.
- TYPO3 v13 will support the following database engines:
 - MySQL version 8.0.17 or higher
 - MariaDB version 10.4.3 or higher
 - PostgreSQL version 10.0 or higher
 - SQLite version 3.8.3 or higher

Deprecations

- With the release of TYPO3 v13.0, all deprecations from TYPO3 v12 were finally removed.

What's new in TYPO3 v13 LTS?



„With v13 we aim to make repetitive tasks and the day-to-day work of integrators and admins more enjoyable.“

Benni Mack, TYPO3 Core Team Lead



The two challenges to solve with v13



Improving Backend User Experience

TYPO3 v13 LTS includes the introduction of **backend dark mode**, performance improvements thanks to **reactive page tree** and the display of editor friendly **page labels** and **status information**.



Streamlining Recurring Actions

Significantly speed up the administration of recurring tasks through the usage of the new **site sets feature** and options to **create custom content types**.

 **TYPO3 v13 LTS**

new!

**Right-to-left
Backend UI**



Making TYPO3 even more accessible

Want to **ensure a user friendly backend experience globally?**

- TYPO3 is optimized for more than 60 languages, now including right-to-left writing systems, like Arabic, Farsi, Hebrew, Urdu, etc.
- Full Right-to-Left Backend UI – including pagetree, modules and content elements.

عام

۸ و صور

العنوان

الإفتراضي

الرابط

عنوان فرعي

التص

— Ω √ ∑ ↶ ↷ T_x © ↺ ∨ ≡ “ ½ ≐ (-) ×² ×₂ I B ∨ ...Formatted Text ∨ الأنماط

المصدر

الآن اتجه النص TYP03 إلى جانب اللغات، تعد أنظمة الكتابة المختلفة أيضًا عاملاً رئيسيًا عند تطوير واجهات المستخدم القابلة للترجمة. تدعم الواجهة الخلفية لـ TYP03 هذه الميزة لها تأثير كبير على التخطيط وتؤثر على مناطق مختلفة من الواجهة الخلفية لـ (RTL) من اليمين إلى اليسار بما في ذلك الجداول ومناطق TYP03

Making TYPO3's backend even more customizable

Want to ensure **a more personalized, user-friendly backend experience?**

- Choose between **Light Mode and Dark Mode** – whichever one fits your preferences.
- Enjoy multiple different **new backend modules**
- More **user-friendly mass-editing options** for pages & files
- **Customizable shortcuts** through Hotkey API



Dashboard



Web



Page



View



List



Forms



Workspaces



Info



Check links



Recycler



Indexing



File



Site Management



Admin Tools



System

Enter search term



TYPO3 v13 LTS - Ride the Wave



example.com



Home



Products



Services



Events



About Us



Contact



News



Frontend Users

+ Create new record

View webpage

Edit page properties



View



Path: / example.com [1]

example.com

Page (7) >

New Page

Download

Show columns



Page title ↑

Localization Description ↑



Home



English



Products



English



Services



English



Events



English



About Us



English



News



English



Frontend Users



English


TypoScript record (1) >

+ New TypoScript record

Download

Show columns





NEW!

 **TYPO3 v13 LTS**

Image Rendering



Improving TYPO3's editor experience

Want to ensure **your editors can comfortably work in the TYPO3 backend?**

- TYPO3 now allows the generation of modern, state-of-the-art **WebP & AVIF** images.
- Additionally with v13 LTS, a **cropped or resized SVG** ... will result in SVG instead of JPG or PNG.



▼ Default



TYPO3

Aspect ratio

16:9

3:2

4:3

1:1

Free ✓

Selected Size
127×173 px

↺ Reset

✕ Cancel

💾 Accept

 **TYPO3 v13 LTS**

new!

Reactive Pagetree



The fastest pagetree possible

Want to offer **your editors the smoothest and fastest editing experience?**

- The reworked, reactive page tree enables a blazingly fast performance.
- Enjoy fast loading times – no matter the size of your individual installation.



Dashboard



Web



Page



View



List



Forms



Indexing



Workspaces



Info



Check links



Recycler



File



Site Management



Admin Tools



System

Enter search term



TYPO3 v13 LTS - Ride the Wave

example.com

Home

Products

Services

Events

TYPO3 v13 LTS Release...

About Us

Contact

News

Frontend Users

View webpage

Edit page properties

Path: / example.com [1]



example.com

Normal

+ Create new content

Text & Images

id=10 - TYPO3 v13 LTS Release Party; Ride the Wave

LOREM IPSUM DOLOR SIT AMET, CONSECUTUR ADIPISCING ELIT, SED DO EUSMOD TEMPOR INCIDIDUNT UT LABORE ET DOLORE MAGNA ALIQUA. UT ENIM AD MINIM VENIAM, QUIS NOSTRUD EXERCITATION ULLAMCO LABORIS NISI UT ALIQUIP EX EA COMMODO CONSEQUAT. DUIS AUT E IRURE DOLOR IN REPREHENDERIT IN VOLUPTATE VELIT ESSE CILLUM DOLORE EU FUGIAT NULLA PARIATUR. EXCEPTEUR SINT OCCAECAT CUPIDATAT NON PROIDENT, SUNT IN CULPA QUI OFFICIA DESERUNT MOLLIT ANIM ID EST LABORUM.

+ Create new content

Images Only



+ Create new content

Regular Text Element

AT VERO EOS ET ACCUSAMUS ET IUSTO ODIO DIGNISSIMOS DUCIMUS QUI BLANDITIIS PRAESENTIUM VOLUPTATUM DELENITI ATQUE CORRUPTI QUOS DOLORES ET QUAS MOLESTIAS EXCEPTURI SINT OCCAECATI CUPIDITATE NON PROVIDENT, SIMILIQUE SUNT IN CULPA QUI OFFICIA DESERUNT MOLLITIA ANIMI, ID EST LABORUM ET DOLORUM FUGA. ET HARUM QUIDEM RERUM FACILIS EST ET EXPEDITA DISTINCTIO. NAM LIBERO TEMPORE, CUM SOLUTA NOBIS EST ELIGENDI OPTIO CUMQUE NIHIL IMPEDIT QUO MINUS ID QUOD MAXIME PLACEAT FACERE POSSIMUS, OMNIS VOLUPTAS ASSUMENDA EST, OMNIS DOLOR REPELLENDUS. TEMPORIBUS AUTEM QUIBUSDAM ET AUT OFFICIIS DEBITIS AUT RERUM NECESSITATIBUS SAEPE EVENIET UT ET VOLUPTATES REPUDIANDAE SINT ET MOLESTIAE NON



 **TYPO3 v13 LTS**

Site Sets




Centrally configurable components

Want to continuously **reuse project components throughout your installations?**

- The Site Sets API enables central management of individual settings and configurations.
- **Minimize recurring tasks** by defining and reusing central components.

Sets, Subsets, Settings & More.

Site Sets are composable of Subsets; building on top of each other.





```
ls EXT:acme_base/Configuration/Sets/SetForACMEAgency
```

```
TsConfig/
```

```
TypoScript/
```

```
# definition, dependencies and configuration
```

```
config.yaml
```

```
settings.definitions.yaml
```

```
settings.yaml
```

```
setup.typoscript
```

How to manage Site Sets for your page

Sets for this Site

Site sets ship parts of site configuration as composable pieces. Sets deliver Settings, TypeScript, and Page TSConfig for the scope of this site.

Selected Items

Bootstrap Package: Content Elements

Frontend Login

⌵

⬆

⬇

⬇

🗑

Available Items

🔍


Indexed Search

SEO Sitemap

Styleguide Theme

Fluid Styled Content CSS

Redirects

 **Site Configuration** [1]

- Dashboard
- Web

^
- Page
- View
- List
- Forms
- Indexing
- Workspaces
- Info
- Check links
- Recycler
- File

▼
- Site Management

^
- Sites
- Settings
- Redirects
- Page TSconfig
- TypoScript
- Admin Tools

▼

✕ Close

💾 Save

Edit site settings

General

Languages

Error handling

Static Routes

Root Page ID

You must create a page with a site root flag.

📄

example.com

▼

Website title

The title of the website is used for the title tag in the frontend

Site Identifier

This name will be used to create the configuration directory. Mind the recommendations for directory names (only a-z,0-9,_,-) and make it unique.

example

✕

Entry Point

Main URL to call the frontend in default language. Can be https://www.example.com/ or just /, if it is just a / you cannot rely on TYPO3 creating full URLs

https://example.com/

✕

Variants for the Entry Point

This allows you to specify variants of the site's base. Can be used, for example, if you have a different domain for your staging environment.

+ Create new

Sets for this Site

Site sets ship parts of site configuration as composable pieces. Sets deliver Settings, TypeScript, and Page TSConfig for the scope of this site.

Selected Items

Fluid Styled Content

Frontend Login

Form Framework

⌵

⬆

⬇

⬇

🗑

Available Items

🔍

Fluid Styled Content CSS

Indexed Search

SEO Sitemap

Styleguide Theme

Redirects

🌐

Site Configuration [1]



Dashboard



Web



Page



View



List



Forms



Indexing



Workspaces



Info



Check links



Recycler



File



Site Management



Sites



Settings



Redirects



Page TSconfig



TypoScript



Admin Tools

✕ Close

💾 Save

📄 YAML export

✎ Edit site configuration

Site Settings for "example.com"

example [pid: 1]

seo

• SEO Sitemap

• Template Paths

SEO Sitemap

Doktypes to exclude

[seo.sitemap.pages.excludedDoktypes](#)

3, 4, 6, 7, 199, 254

List of page uids which should be excluded recursive

[seo.sitemap.pages.excludePagesRecursive](#)

Additional where clause

[seo.sitemap.pages.additionalWhere](#)

{#no_index} = 0 AND {#canonical_link} = "

Template Paths

Path to template root (FE)

Test description

[seo.sitemap.view.templateRootPath](#)

EXT:seo/Resources/Private/Templates/

NEW!

 **TYPO3 v13 LTS**

Presets



Set up once – reuse forever

Are you tired of **running through the same setup steps again and again when creating similar projects?**

- The preset feature allows you to create individual project packages to simply add to your existing installations.
- Minimize recurring setup steps by defining and **reusing central project presets.**

The official introduction of presets

- Containing readily defined **frontend outputs, pages, content & backend users.**
- Individually customizable through agencies & users.

Frontend Output



Settings




Pages & Content




Sneak Peek

The first presets were created by young talents from the TYPO3 Ecosystem during the first ever **Surfcamp 2024**. Take a look and try them out for yourself!

Portfolio



Landingpages



F.C. Bigfoot



 **TYPO3 v13 LTS**

NEW!

Easier Custom Content Types & Content Blocks



Content Blocks for v12 as ignition

The TYPO3 Content Blocks Team built a **production-ready package** between 2022 and 2024.

- This package is available for v12 LTS ...
- ... and has been **steadily adapted to incorporate feedback quickly** and release faster.

Integration Strategy (I)

The general availability for features was inspired by Content Blocks.

- Schema API for accessing TCA
- Record API — database rows that resolve relations (used in Fluid for Frontend and Backend)
- No need to define system fields (hidden, language etc) in TCA anymore

Integration Strategy (II)

Content Blocks **are being integrated feature by feature** into TYPO3 Core.

- Automatically show content types in „New Content Element Wizard“
- No need for ext_tables.sql anymore
- lib.parseFunc_RTE available without Fluid Styled Content

Further Content Blocks Development

The YAML Schema and file location still remain in EXT:contentblocks for v13 – instead of Core directly.

- The extent of the EXT:contentblocks **massively slimmed down** in v13 due to several aspects having been migrated directly into Core
- The Extension is available for v12 and v13 LTS
- One of the next steps: **Add additional features development** (e.g. GUI)
- Maintenance on github.com/FriendsOfTYPO3

NEW!

 **TYPO3 v13 LTS**

Fluid Templating



TYPO3 v13 LTS – now shipping Fluid 4.0

.. Yes, we're alive! Introducing the first new major version since 2016.

- `<f:comment>` behaves correctly now!
- boolean arguments for tag-based ViewHelpers available
- Many new ViewHelpers: `<f:join>`, `<f:replace>`, `<f:split>`, `<f:first>`, `<f:last>`
`<f:constant>`
- Mainly code-cleanup under the hood, mostly compatible

NEW!


 **TYPO3 v13 LTS**

Additional Gems




You can also look forward to:


- Search in Form Module





TYPO3 v13 LTS - Ride the Wave


13.4.0




















 admin


 Dashboard


 Web


 Page


 View


 List


 Forms


 Indexing


 Workspaces

 Info

 Check links

 Recycler

 File

 Site Management

+ Create new form









Form Management

Search term

contact

x

Q

Form name ↕	Location ↕	Integrity ↕	Ref ↕	
 Contact Customer Support	1:/form_definitions/contactCustomerSupport.form.yaml		1	  
 Contact Sales Department	1:/form_definitions/contactSalesDepartment.form.yaml		-	  
2 forms				

2024

TYPO3 GmbH

46

Editors and Admins can also look forward to:

- Optimizations in **Redirects** Backend Module
- Improvements in the **TYPO3 backend search**
- **New button: Mass Editing** of Selected Columns for Files and Pages
- Streamlined **Permission Management**
- **Drag & Drop** on to page tree from page module
- **Update Preview Images** of YouTube / Vimeo videos

Developers can also look forward to:

- Record-based content resolving via PAGEVIEW Content Object
- **Less TypoScript boilerplate** code needed
- Improvements and trouble shooting for **indexed_search**
- **Support for Extbase File Upload + File Validation**
- Ongoing replacement of **hooks with events**

Developers can fine-grain define cache tags

Define different cache lifetime and tags to your page content depending on the content rendering.

- A more powerful enterprise-feature **for developers to speed up performance even more.**
- **Programmatically add or remove cache tags** based on rendered records.



**MANY MORE NEW
AND EXCITING
FEATURES ARE
COMING YOUR WAY!**

Are you ready?

TYPO3 v13 LTS

Thank you to everyone involved in creating the best TYPO3 version – so far.

THANK YOU!

get.typo3.org

